



Application No.: 10/799,398  
Filing Date: March 12, 2004  
First Named Inventor: John M. BELCEA  
Attorney Ref.: Mesh-079  
REPLACEMENT SHEET

1/16




FIGURE 1

2/16




FIGURE 2

3/16




FIGURE 3

4/16

135

WR Data

Identification New Router

Longitude 0.000000 Restore

Latitude -34916.305954 OK

Altitude 7.0 Close

Enabled ☐

FIGURE 4

5/16




FIGURE 5

6/16




FIGURE 6

7/16




FIGURE 7

8/16




FIGURE 8



9/16

160

The dialog box is titled 'Configuration' and contains the following sections and controls:

- Definition:**
  - Step X: 10 m
  - Step Y: 10 m
  - Maximum radio propagation distance: 2000 m
- Pattern Style:**
  - ☒ Solid
  - ☐ X
  - ☐ One diagonal
  - ☐ Two diagonal
  - ☐ Three diagonal
  - Pen width: 0
- Maximum Random Error:** 0 ns
- Map:**
  - ☒ Quality
  - ☐ WR count
- Error type:**
  - ☒ Horizontal
  - ☐ Spatial
- Other options:**
  - ☐ E-911
  - ☒ Street only
- Buttons:** OK, Cancel

FIGURE 9

10/16

The figure shows three vertical legend boxes, each with a title bar labeled 'Legend' and a 'Close' button at the bottom. Box 165 contains the numbers 0, 50, 100, 150, and 200. Box 170 contains the numbers 0, 5, 10, 15, and 20. Box 175 contains the numbers 0, 2, 4, 6, and 8.

Legend
0
50
100
150
200
Close

Legend
0
5
10
15
20
Close

Legend
0
2
4
6
8
Close

FIGURE 10

11/16




FIGURE 11

12/16




FIGURE 12

13/16




FIGURE 13




FIGURE 14

15/16

205

The dialog box is titled 'Configuration' and contains the following sections and controls:

- Definition**
  - Step X: 10 m
  - StepY: 10 m
  - Maximum radio propagation distance: 2000 m
- Pattern Style**
  - ☒ Solid
  - ☐ X
  - ☐ One diagonal
  - ☐ Two diagonal
  - ☐ Three diagonal
  - Pen width: 0
- Maximum Random Error**: 0 ns
- Error type**
  - ☒ Horizontal
  - ☐ Spatial
- Map**
  - ☒ Quality
  - ☐ WR count
- ☐ E-911
- ☒ Street only
- Buttons**: OK, Cancel

FIGURE 15

16/16




FIGURE 16